

Vehicle Diagnostic Report

1FE

AA

Printed By: Default User(1)

5.9.2023 a. 23:39:25

Data List Engine and ECT(1 of 2)

Time/Frame : 00:46:100/305

Parameter	Value	Unit
# Codes	0	
2nd Air Monitor	Not Avail	
2nd Air Monitor	Compl	
A/C Monitor	Not Avail	
A/C Monitor	Compl	
A/C SIG	OFF	
Accelerator IDL POS	ON	
Accelerator Learned Value	19,11	deg
Accelerator POS No.1	0,78	V
Accelerator POS No.2	1,60	V
AS Test	COMPL	
CALC Load	0,00	%
Catalyst Monitor	Avail	
Catalyst Monitor	Compl	
Check Mode	OFF	
Complete Parts Monitor	Avail	
Coolant Temp	77	C
Cylinder #1 Misfire Count	0	
Cylinder #2 Misfire Count	0	
Cylinder #3 Misfire Count	0	
Cylinder #4 Misfire Count	0	
Distance after MIL ON	0	km
EGR Monitor	Not Avail	
EGR Monitor	Compl	
Elect Load SIG	OFF	
Engine SPD	0	rpm
ETCS Actuator Power	ON	
EVAP Monitor	Compl	
EVAP Monitor	Not Avail	
EVAP VSV	OFF	
Fail Safe Drive	OFF	
Fail Safe Drive (Main CPU)	OFF	
FC IDL	OFF	
FC TAU	OFF	
Fuel Pump	OFF/M,L	
FUEL SYS #1	OL	
FUEL SYS #2	UNUSED	
Fuel System Monitor	Avail	
Heated Catalyst Monitor	Compl	
Heated Catalyst Monitor	Not Avail	
IDL SIG	ON	
IGN Advance	5,0	deg
IGNITION	0	
Injector	0,0	ms
Intake Air	53	C
Long FT #1	-9,41	%
MAF	0,43	gm/sec
MIL Status	OFF	
MISFIRE LOAD	0,00	g/rev
Misfire Monitor	Avail	
MISFIRE RPM	0	rpm
O2 LR B1 S1	0	ms
O2 RL B1 S1	0	ms
O2 RL B2 S1	0	ms
O2FT B1 S1	-0,04	%
O2FT B1 S2	99,15	%
O2S B1 S1	0,000	V

Parameter	Value	Unit
O2S B1 S2	0,000	V
O2S(A/FS) Heater Monitor	Compl	
O2S(A/FS) Heater Monitor	Avail	
O2S(A/FS) Monitor	Avail	
O2S(A/FS) Monitor	Compl	
OXS1 Test	COMPL	
OXS2 Test	COMPL	
PS Oil Press SW	OFF	
PS Signal	ON	
Purge VSV	CLOSE/OFF	
Short FT #1	-0,04	%
Starter SIG	OFF	
Stop Light SW	OFF	
Throttle IDL POS	ON	
Throttle Learned Value	0,68	V
Throttle Motor	ON	
Throttle Motor Close Duty	16	%
Throttle Motor Current	1,0	A
Throttle Motor Open Duty	0	%
Throttle POS	14	%
Throttle POS No.2	2,36	V
Throttle Request POS	0,74	V
TOTAL FT #1	1,012	
Vehicle SPD	0	km/h
VVT CTRL B1	OFF	

Techstream (Ver 16.00.017) - 298

File Function Setup TechDoc User Help

System Select | Stored Data | **Engine and ECT Live** | Body Live | Customize

AVENSIS ZZT
1FE

Input VIN

Trouble Codes

Data List

Active Test

Monitor

Utility

Dual Data List

Print

Close

Parameter	Value	Unit	Parameter	Value	Unit
# Codes	0		EVAP Monitor	Not Avl	
2nd Air Monitor	Not Avl		EVAP VSV	OFF	
2nd Air Monitor	Compl		Fail Safe Drive	OFF	
A/C Monitor	Not Avl		Fail Safe Drive (Main CPU)	OFF	
A/C Monitor	Compl		FC IDL	OFF	
A/C SIG	OFF		FC TAU	OFF	
Accelerator IDL POS	ON		Fuel Pump	OFF/M.L	
Accelerator Learned Value	19.11	deg	FUEL SYS #1	OL	
Accelerator POS No. 1	0.78	V	FUEL SYS #2	UNUSED	
Accelerator POS No. 2	1.60	V	Fuel System Monitor	Avail	
AS Test	COMPL		Heated Catalyst Monitor	Compl	
CALC Load	0.00	%	Heated Catalyst Monitor	Not Avl	
Catalyst Monitor	Avail		IDL SIG	ON	
Catalyst Monitor	Compl		IGN Advance	5.0	deg
Check Mode	OFF		IGNITION	0	
Complete Parts Monitor	Avail		Injector	0.0	ms
Coolant Temp	77	C	Intake Air	53	C
Cylinder #1 Misfire Count	0		Long FT #1	-9.41	%
Cylinder #2 Misfire Count	0		MAF	0.43	gm/sec
Cylinder #3 Misfire Count	0		MIL Status	OFF	
Cylinder #4 Misfire Count	0		MISFIRE LOAD	0.00	g/rev
Distance after MIL ON	0	km	Misfire Monitor	Avail	
EGR Monitor	Not Avl		MISFIRE RPM	0	rpm
EGR Monitor	Compl		O2 LR B1 S1	0	ms
Elect Load SIG	OFF		O2 RL B1 S1	0	ms
Engine SPD	0	rpm	O2 RL B2 S1	0	ms
ETCS Actuator Power	ON		O2FT B1 S1	-0.04	%
EVAP Monitor	Compl		O2FT B1 S2	99.15	%

All Data

Sort A to Z

Default User

DLC 3